

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	14	"6125095" and eras \$4	US-PGPUB; USPAT	OR	OFF	2008/08/14 12:37
L4	119	369/126 and (light laser) near5 (current)	US-PGPUB; USPAT	OR	OFF	2008/08/14 13:10
L5	15	369/126 and (light laser) near5 (current) near5 (information data bit)	US-PGPUB; USPAT	OR	OFF	2008/08/14 13:10
L6	1	"6125095".pn.	US-PGPUB; USPAT	OR	OFF	2008/08/14 13:38
S1	1	10/721574	US-PGPUB; USPAT	OR	OFF	2008/07/22 09:04
S2	1	"7179534".pn.	US-PGPUB; USPAT	OR	OFF	2008/07/22 09:05
S3	335	369/126 and voltage near5 (probe tip)	US-PGPUB; USPAT	OR	OFF	2008/07/22 09:30
S4	129	369/126 and voltage near5 (probe tip) near10 (medium) near5 (writ\$4 record\$4)	US-PGPUB; USPAT	OR	OFF	2008/07/22 09:31
S5	10	S4 and (photodiode diode detect\$4) near5 (layer region) near5 (medium)	US-PGPUB; USPAT	OR	OFF	2008/07/22 09:41
S6	2	S3 and (layer\$1) near4 (photodiode diode)	US-PGPUB; USPAT	OR	OFF	2008/07/22 09:44
S7	8	369/126 and (layer \$1) near5 light near3 (electric\$4)	US-PGPUB; USPAT	OR	OFF	2008/07/22 09:50

S8	0	369/126 and (voltage) near6 (pit mark) near5 (reversible)	US-PGPUB; USPAT	OR	OFF	2008/07/22 09:54
S9	0	369/126 and (voltage) near6 (pit mark) near5 (revers \$5)	US-PGPUB; USPAT	OR	OFF	2008/07/22 09:55
S10	1	369/126 and (voltage) near6 (pit mark) same (phase adj2 chang\$4)	US-PGPUB; USPAT	OR	OFF	2008/07/22 09:55
S11	6	369/126 and (voltage) near6 (pit mark) and (phase adj2 chang\$4)	US-PGPUB; USPAT	OR	OFF	2008/07/22 09:57
S12	15	369/126 and (voltage) same (pit mark) and (phase adj2 chang\$4)	US-PGPUB; USPAT	OR	OFF	2008/07/22 10:09
S13	50	369/126 and (voltage) near5 (probe tip) and (phase adj2 chang \$4)	US-PGPUB; USPAT	OR	OFF	2008/07/22 10:10
S14	22	check adj in near10 check adj out	USPAT	OR	OFF	2008/07/22 12:14
S15	1	"6101164".pn.	US-PGPUB; USPAT	OR	OFF	2008/08/11 10:55
S16	2	"6101164".pn. 2003 \0053399	US-PGPUB; USPAT	OR	OFF	2008/08/11 10:55
S17	55	fused adj ring and acetylene adj2 linked	US-PGPUB; USPAT	OR	OFF	2008/08/11 12:31
S18	3	fused adj ring same acetylene adj2 linked	US-PGPUB; USPAT	OR	OFF	2008/08/11 12:31
S19	29	fused adj ring and acetylene adj2 linked and (switch \$4 phase adj2 change)	US-PGPUB; USPAT	OR	OFF	2008/08/11 12:32

S20	5	("2" two) near2 dimension\$5 same state adj2 change same polymer	US- PGPUB; USPAT	OR	OFF	2008/08/11 12:50
S21	130	369/126 and voltage near5 (probe tip) near10 (medium) near5 (writ\$4 record\$4)	US- PGPUB; USPAT	OR	OFF	2008/08/14 10:07
S22	10	S21 and (photodiode diode detect\$4) near5 (layer region) near5 (medium)	US- PGPUB; USPAT	OR	OFF	2008/08/14 10:07
S23	19	S21 and (photodiode photodetector optical adj2 (detect \$4))	US- PGPUB; USPAT	OR	OFF	2008/08/14 10:26

8/ 14/ 2008 2:04:48 PM

C:\ Documents and Settings\jhaley\ My Documents\ EAST\ Workspaces\ 10721574.
wsp